



Junior Productions Rules 2026

Please read through all rules carefully and see new updated rules and regulations for 2025. Each car will be individually inspected at each race meeting. If you are found to be breaking the rules or your vehicle is not built to the safe standard that the below rules set out, you will not be able to race until the necessary changes are made. The new rules and regulations we have introduced are for your safety and for fair racing across the formula. Failure to comply will put yours and others safety at risk. Please ensure when buying ready made kit or vehicles, that they meet the standard of our rules. If you have any questions regarding your vehicle, please contact us before the season opens so we can advise on changes you may need to make to avoid missing the first meeting.

Smallfield Raceway reserves the right to make amendments at any time to the rules and specifications for any of the following reasons:

- In the interests of Health and Safety
- In areas that are detrimental to the future of the formula
- If an unnecessary advantage has been deemed.

New updates are highlighted in yellow

Unless the rules below state you can do it, YOU CANNOT DO IT!

Permitted Drivers

Any child aged 10 – 16 is able to race in this formula. You may finish your season in the junior productions if you turn 16 during the season. You will not be permitted to race in the junior group if you are 16 before the start of the season.

Starting age may be reduced to age 9 at promoters discretion, this will be dependent on varying factors. Please contact promotion for more information before registering your child to race with us.

All drivers will require parental/guardian consent before racing and parent/guardian will be required to sign all consent forms during registration.

ALL juniors will be required to provide proof of age at the start of each race season.

Permitted Vehicles

Nissan Micra's

K12 Nissan Micra can use a K11 Engine

Any 8 Valve Vauxhall Cars

The above are the **Only** permitted vehicles.

The Body Shell



The interior of the vehicle must be gutted of all materials.

You may de-skin the vehicle panels.

You may fill in the headlight apertures.

Original front and rear bumpers must be fitted.

No work behind the bumper to strengthen. This is a non-contact formula.

All vehicles must be fitted with a number fin plate. The number must clear and easily visible. You will not be lap scored if you do not have a fin plate on your vehicle.

All vehicles must be fitted with a minimum of one working brake light. This must be a minimum size of a fog light.

All vehicles must have a brake light fitted on the driver's side rear window.

All vehicles must have mesh fitted to the windscreen. A minimum of half the windscreen must be covered to protect the driver.

All vehicles must have a front and rear bumper fitted. If you do not have bumpers, you will not race.

All vehicles must be kept presentable all year. Failure to do so, will result in you not being able to race.

All Vehicles must be fitted with a rear view and Drivers side mirror.

You may use skirts and arches.

All vehicles must be in a presentable order.

A drivers side window net is **COMPULSORY**. If you have a passenger, a window net on the passenger side is also **COMPULSORY**.

Engine

1000cc only.

The engine, gearbox and final drive must be standard to the vehicle.

No engine swaps.

No conversions to engines.

No changing of injectors

No removing rev limiters

No Locked diffs. No limited, slip or power lock types.

Original ECU's Only, aftermarket ECU's are not permitted.

Exhaust must be original to engine in the vehicle. (Example: a coil-pack engine must be fitted with a coil-pack Exhaust and a Distributor engine must be fitted with Distributor Exhaust.)

All cars must run on a radiator in original position. NO HEADER TANKS.



Exhaust must have a minimum of one silencer.

All cars must be fitted with a cut-off switch. This must be located on either "B" pillar.

The ignition system must remain standard. No aftermarket ignition systems permitted.

No decking the block. (Skimming)

NO lightened fly wheels

Fuel and Batteries

All fuel and electric cables must run inside the car. All fuel lines must have minimum joins. i.e. one at carb and one at tank only.

2-gallon fuel tank maximum to be fitted inside vehicle (within confines of the roll cage) and separated by a box or fire wall from the driver.

Fuel tank must be steel or aluminium.

Fuel cell fuel tanks do not need to be covered.

A one way valve MUST be used and must be visible

A fuel cut off switch must be fitted and located on either B pillar.

No motor bike tanks, gas bottle or fire extinguishers to be used as petrol tanks

Battery covered and securely fastened inside the car located behind the driver.

Roll Cage and Camber

Box section cages are not permitted.

All Cars must be fitted with a full 6 point roll cage. The cage must consist of a minimum of:

1. A main hoop over the A pillars.
2. A main hoop over the B pillars.
3. Three roof bars connecting A and B Pillar hoops.
4. A bulkhead bar connecting A pillar to A pillar.
5. A cross bar at shoulder height of the driver.
6. The main hoops must be welded to a minimum of 3mm thick boxes, 100mm square to the floor and sill or to a piece of tube on top of the sill, with a minimum of 2.5mm thickness.
7. A minimum of two door bars in the drivers side with a minimum of two connecting bars connecting the two door bars together. If you have a passenger, a minimum of two door bars with a minimum of two connecting bars, connecting the two door bars together must be on passenger side of the cage.
8. Suspension turrets can be supported from the front of the cage
9. A minimum of two stay bars coming down from the top of your main hoop, down to the rear turrets or as close as possible.
10. "A" pillar brace.



11. All roll cage welds must be complete to an acceptable standard. Weld safety will be judged at scrutineers discretion and scrutineers decision is final.

Camber is allowed on the nearside front wheel. This is done by extending the lower arm by a maximum of 40mm. The driver side wheel must remain standard..

You may also move the nearside front wheel forward by a maximum of 40mm.

No rear camber is permitted.

The seat must have a minimum of four bolts through the base of the seat connected to the floor or base of the roll cage. They must have a minimum of two bolts connected to a brace from the roll cage to the back of the seat at shoulder height of the driver.

Bonnets can be on original hinges but must be secured with two additional bolts at the front of the bonnet. If not using original hinges, you may use two corner plates with two additional bolts at front of the bonnet. If not using corner plates you must use two bolts at the front and two bolts at the rear of the bonnet.

Full 5-point harness must be fitted using harness eyes or chain, if using chain, you must use the minimum size of the M12 bolt with either a nylock nut or double nutted.

New junior drivers may have a passenger, but passenger must have seat and 5-point harness fitted.

Drivers door must be able to open.

You may use any wheel or tyre.

No coil overs.

Kirkey Seats must be braced at head height, unless a full containment seat is fitted.

Crash Helmets, Overalls, Gloves, Balaclavas and Receivers

Helmets must be of a minimum standard as directed by British Oval Racing Safety Executive (B.O.R.S.E). NO POLYCARBONATE helmets are allowed. It is important that the helmet fits the driver correctly and that manufacturers guidelines are followed. This Also applies to the passenger.

The current permitted helmet standards for all drivers are:

- FIA 8860-2010
- FIA 8859-2015
- FIA 8860-2018
- FIA 8860-2018 ABP
- SNELL SA2010
- SNELL SA2015
- SNELL EA2016
- SNELL SA2020
- SFI FOUNDATION 31.1A
- SFI FOUNDATION 31.2A
- SFI FOUNDATION 31.1
- ECE R22.05
- ECE R22.06



The following list of permitted helmet standards are for **Junior Drivers ONLY**

- SNELL CMR 2007
- SNELL CMS 2007
- SNELL CMR 2016
- SNELL CMS 2016
- SFI 24.1

The helmet must fit the driver correctly and once approved by our scrutineer display the Smallfield Raceway approval sticker.

It is **Mandatory** to wear flame resistant race-suit/overall.

Flame resistant race-suits/overalls **MUST** be manufactured from Proban®, or material of a higher specification, e.g. Nomex®.

Flame resistant race-suits/overalls **MUST** be clearly marked with the relevant SFI, FIA or equivalent standard, or the manufacturer's statement of protection.

Race-suits/overalls **MUST** be maintained in a clean and tidy condition.

Race-suits/overalls manufactured/certified to Karting standards, including, but not limited to, the CIK-FIA Level 1 or Level 2 standards, are **NOT** permitted as they do **NOT** provide the appropriate level of heat/flame protection. The above also applies to the passenger.

It is **Mandatory** to wear Fire retardant Gloves also clearly marked with the fireproof safety standard.

Flame resistant gloves **MUST** be clearly marked with the relevant SFI, FIA or equivalent standard, or the manufacturer's statement of protection. This Also applies to the passenger.

It is **Mandatory** to wear a flame resistant balaclava.

Flame resistant balaclavas **MUST** be clearly marked with the relevant SFI, FIA or equivalent standard, or the manufacturer's statement of protection. This Also applies to the passenger.

It is **Mandatory** to wear a minimum standard neck brace or an FHR device.

If a neck-brace is used, it **MUST** be of the complete-circle type, i.e. it must form a complete circle around the driver's neck with no gaps. The use of "U" shaped, or "horseshoe" neck-braces is **NOT** permitted.

Race Receivers are **Mandatory**. Please contact Race Receiver Uk to purchase the correct receiver for Smallfield Raceway. If you do not have a receiver, you will not be able to race.

All of the above must be present at scrutineering.

Failure of any of the above will result in being unable to race.

Flags

All flags must be obeyed.

All production formulas are strictly non-contact if deliberate contact is seen you **WILL** be black flagged. If this is ignored we will stop the race.



The Red flag indicates to stop racing, any driver deemed moving on a red flag will be penalised at the clerk's discretion.

The black flag is a disqualification and you must retire to infield and remain in your vehicle unless advised otherwise by track marshals.

Punctures will be black flagged unless on the o/s/r and not causing track damage.

A rolled black flag will be shown as a warning for contact. If the offender persists then a black cross board will be shown. This is a 1-place deduction and can be shown as many times as we feel needed.

If the driver still persists then it will result in being loaded for the rest of the meeting or longer. This will be decided at the clerk of the course's discretion.

The yellow flag indicates a danger or obstruction on track.

A waved yellow means move into single file and drop your speed to 10mph in the race order that the yellows came out on. Any drivers jumping positions on a waved yellow will be black flagged.

The Blue flag means hold your line. Failure to hold your line after three blue flags will result in a black flag.

We have a three stoppage rule. After three race stoppages, we will call the race.

Roof Grades

All drivers will start the new season as a white roof grade. This does not include points champions or SEO Champion. 1st place points champion must start at red roof grade, 2nd place points champion must start at blue roof grade and 3rd place points champion must start at yellow roof grade. SEO Champion must start at the front of Red roof grade.

All roof grades and rows will be marked on track. Each race day a roof grade position sheet will be posted on the WhatsApp group. This will state each grade and row each non contact driver should start on this meeting. If you do not line up in correct position, you will be sent to the back.

If you win a heat, you must start at the back of your roof grade..

Roof grades will be changed for the start of the next meeting not during the current one.

All production formulas must have painted roof grades or roof grades clearly shown on their vehicle.

Accusations and Raceway Conduct

Any accusations of cheating, adapting or illegally modifying vehicles will be taken very seriously and investigated by the clerk of the course and promotor.

If you are suspected of illegally modifying your vehicle, there will be a £200 retainer put on your vehicle. This means that your engine will be stripped. Both parties must be present, and stripping of the engine must be overseen by a race official. If found to be illegally modifying or adapting your vehicle the retainer fee will be returned to the other party. If found to NOT be illegally modifying or adapting your vehicle, you will keep the retainer fee.



Any social media outbursts that are detrimental to the raceway could result in a ban.

Any aggressive behaviour, verbal or physical towards any member of staff will result in a life ban from the raceway.

Family members and friends of drivers should also see above two rules as it will still result in a ban for the associated driver.

No one is permitted inside the race control paddock, if you need to speak to race control or clerk of the course please ask the marshal on the gate and they will contact us..

As a raceway we reserve the right refuse anyone entry to track and to let anyone race if we feel the need to stop you.

You may not get out of your car while racing is going on. Unless instructed by a Marshal then stay in your vehicle.

Any person that enters the raceway without authorisation will be banned for the next meeting. If this happens again you will be banned for the season.

All rubbish should be taken home with you. If you are found to have left rubbish on site. You will be fined!

Any damages or vandalism to our raceway and our property will result in a ban.

If caught cheating at any point, driver will lose all points gained across the season.

Points

Points are given to the first ten places in a race.

Points are as follows:

1st – 10 points

2nd – 9 points

3rd – 8 points

4th – 7 points

5th – 6 points

6th – 5 points

7th – 4 points

8th – 3 points

9th – 2 points

10th – 1 point

All finals will be double points.



**SMALLFIELD
RACEWAY**

THE PLACE TO RACE AND FUN FOR ALL THE FAMILY!

Smallfield Raceway reserve the right to deduct points from drivers as a result of driver conduct, choosing to ignore a race marshals' instruction and breaking raceway rules and regulations.

Roof grading points system:

White Roof - 0 - 20 Points

Yellow Roof – 21 – 36 Points

Blue Roof - 37 – 48 Points

Red Roof - 49+ Point

Lap scorers decision is final, unless video evidence proves otherwise.